

In the Drawings:

Another copy of Figure 3 is supplied which includes a planar support surface 119. The previous copy was marked in red and may have covered up reference no. 119.

In the Claims:

Claims 4, 5, 25, 27 and 29 are amended as follows:

B/sub
cont

4. (Amended) The couple of claim 24, wherein the coupling device comprises a wall portion defining an aperture that is dimensioned and configured to receive adjoining upstanding posts of each instrument organizer when the at least one upstanding posts of each instrument organizer are disposed in juxtaposition.

5. (Amended) The couple of claim 24, wherein the coupling device comprises a collar including a wall portion having a generally rectangular outer configuration in cross section and defining an aperture having a generally rectangular configuration for receiving two upstanding posts each having a cubical outer configuration.

B/sub
cont

25. (Amended) The couple of claim 24, wherein the elongated base structure of each instrument organizer is dimensioned and configured to support

Sub D Contd
B2

only one end of the at least one surgical instrument, the elongated base structure also being dimensioned and configured to be mounted on a planar support surface which supports another end of the at least one surgical instrument.

B3

27. (Amended) The couple of claim 24, wherein the elongated base structure and the movable stabilizing structure of each instrument organizer is composed of a lint free foam plastic.

B4

29. (Amended) A couple for coupling a pair of instrument organizers for at least partially supporting surgical instruments each of which comprise:

an elongated base having a uniform, predetermined width and defining a continuous surface extending from a first side surface to an opposing second side surface thereof, the elongated base including two terminal ends;

at least one fixed end post extending from one of said terminal ends of the base; and

at least one movable stabilizing structure including two self-gripping legs extending generally parallel to each other and from a central body, the self-gripping legs having opposing, inwardly facing surfaces spaced-apart a distance substantially equal to the predetermined width of the base of the instrument organizer, the opposing, inwardly facing surfaces of the two self-gripping legs being dimensioned and configured to solely grip the first and second side surfaces of the base of the instrument organizer, respectively, so that the movable stabilizing structure is attachable to the base of the instrument organizer

5061
Cmly
and the central body is held in place by the self-gripping legs for retaining the surgical instruments in an organized and upright state partially on the organizer; and wherein:

B4
Cont
the central body of the movable stabilizing structure includes an upwardly extending post comprising a first side surface and a second side surface that each define a plane that extends in a direction that is generally perpendicular to the longitudinal axis of the elongated base when the movable stabilizing structure is mounted to the elongated base;

each self-gripping leg of the movable stabilizing structure including a first side surface and a second side surface each of which defines a plane that also extends in a direction that is generally perpendicular to the longitudinal axis of the elongated base when the movable stabilizing structure is mounted to the elongated base; and

the plane defined by the first side surface of the upwardly extending post and the planes defined by the first side surfaces of the self-gripping legs are generally coplanar and the plane defined by the second side surface of the upwardly extending post and the planes defined by the second side surfaces of the self-gripping legs are generally coplanar;

the couple, comprising:

a coupling device for connecting the pair of instrument organizers together.